Ø 004

Appln. No. 09/931,336 Amendment dated December 13, 2004 Reply to Office Action mailed August 11, 2004

This listing of claims will replace all prior versions, and listings, of claims in the application:

<u>Listing of Claims</u> (deleted text being struck through and added text being underlined):

1	1. (Previously Presented) A label structure having a first axis
2	for extending substantially parallel to the longitudinal extent of a
3	liner, the label structure having first and second sides extending
4	substantially parallel to the first axis, the label structure having a
5	front surface and a back surface, the label structure comprising:
6	a base panel for affixing to a surface, the base panel having front
7	and back faces, the back face of the base panel having an
8	adhesive applied thereon;
9	a first leaflet being positioned adjacent to the front face of the base
10	panel, the first leaflet comprising a first folded panel with a
11	first fold extending substantially parallel to the first axis of
12	the label structure;
13	a second leaflet being positioned forward of the first leaflet such.
14	that at least a portion of the first leaflet is positioned between
15	the second leaflet and the base panel, the second leaflet
16	comprising a second folded panel having a second fold
17	extending substantially parallel to the first axis of the label
18	structure; and
19	a laminating layer overlying the base panel, the first leaflet, and the
20	second leaflet, the laminating layer having a back face being
21	adhered to a portion of the base panel;
22	wherein the laminating layer contacts both the second leaflet and
23	the first leaflet.

- 1 2. (Original) The label structure of claim 1 wherein the first
- 2 fold is positioned toward the first side, and the second fold is
- 3 positioned closer to the second side of the label structure relative to
- 4 a position of the first fold.
- 1 3. (Original) The label structure of claim 2 wherein the back
- 2 face of the laminating layer is adhered to a portion of the first
- 3 leaflet and a portion of the second leaflet.
- 1 4. (Original) The label structure of claim 1 wherein the first
- 2 fold in the first folded panel defines a first fold axis and the second
- 3 fold in the second folded panel defining a second fold axis, the first
- 4 fold axis being oriented substantially parallel to the second fold
- 5 axis, the first and second fold axes being oriented substantially
- 6 parallel to the first axis.
- 1 5. (Original) The label structure of claim 4 wherein the first
- 2 fold axis is transversely spaced from the second fold axis such that
- 3 the first fold axis of the first leaflet is located relatively closer to
- 4 the first side of the label structure than the second fold axis of the
- 5 second leaflet.
- 6. (Original) The label structure of claim 5 wherein the back
- 2 face of the laminating layer is adhered to a portion of the first
- 3 leaflet and a portion of the second leaflet.
- 7. (Original) The label structure of claim 1 wherein the
- 2 laminating layer is substantially transparent.

→ PT0

1	8. (Currently Amended) A label structure having a lifst axis
2	for extending substantially parallel to the longitudinal extent of a
3	liner, the label structure having first and second sides extending
4	substantially parallel to the first axis, the label structure having a
5	front surface and a back surface, the label structure comprising:
6	a base panel for affixing to a surface, the base panel having front
7	and back faces, the back face of the base panel having an
8	adhesive applied thereon;
9	a first leaflet being positioned adjacent to the front face of the base
10	panel, the first leaflet comprising a first folded panel with a
11	first fold extending substantially parallel to the first axis of
12	the label structure;
13	a second leaflet being positioned forward of the first leaflet such
<b>14</b>	that at least a portion of the first leaflet is positioned between
15	the second leaflet and the base panel, the second leaflet
16	comprising a second folded panel having a second fold
17	extending substantially parallel to the first axis of the label
18	structure; and
19	a laminating layer overlying the base panel, the first leaflet, and the
20	second leaflet, the laminating layer having a back face being
21	adhered to a portion of the base panel;
22	wherein the front face of the base panel has first and second areas,
23	indicia being marked on the first area of the front face of the
24	base panel, indicia being marked on the second area of the
25	front face of the base panel, the first and second leaflets being
26	positioned in front of overlying the second area of the front
<b>\</b> 7	formand not executing the first area of the front face

→ PTO

Appln. No. 09/931,336 Amendment dated December 13, 2004 Reply to Office Action mailed August 11, 2004

- 9. (Original) The label structure of claim 1 wherein the first fold divides the first folded panel into a pair of first leaves, each of the first leaves having an inner page face and an outer page face, the second fold dividing the second folded panel into a pair of second leaves, each of the second leaves having an inner page face and an outer page face.
- 10. (Original) The label structure of claim 9 wherein the 1 inner page faces of the first leaves are oriented inwardly toward 2 each other and the outer page faces of the first leaves are oriented 3 outwardly away from each other, the pair of first leaves comprising 4 a front first leaf and a back first leaf, the outer page face of the 5 back first leaf being oriented toward the front face of the base 6 panel, the outer page face of the back first leaf being positioned adjacent to the front face of the base panel, the outer page face of 8 the back first leaf being positioned adjacent to the second area of 9 the front face of the base panel, each of the inner and outer page 10 faces of the front first leaf and the back first leaf being adapted for 11 permitting viewing of indicia marked thereon, the inner page faces 12 of the second leaves being oriented inwardly toward each other and 13 the outer page faces of the second leaves being oriented outwardly 14 away from each other, the pair of second leaves comprising a front 15 second leaf and a back second leaf, the outer page face of the back 16 second leaf being oriented toward the outer page face of the front 17 first leaf, each of the inner and outer page faces of the front second 18 leaf and the back second leaf being adapted for permitting viewing 19 of indicia marked thereon. 20

## 11. through 25. (Cancelled)

→ PTO

1	26. (Original) A label system comprising:
2	a liner for removably carrying at least one label structure, the
3	liner being an elongate web, the liner having a longitudinal extent
4	extending along a length of the liner, the liner having front and
5	back faces, the front face of the liner comprising a release surface,
6	a silicone being applied to the release surface, the liner comprising
7	a paper product
8	a label structure removably applied to the liner, the label structure
9	having a first axis extending substantially parallel to the
10	longitudinal extent of the liner, the label structure having first
11	and second sides extending substantially parallel to the first
12	axis, the label structure comprising:
13	a base panel for affixing to a surface, the base panel having
14	front and back faces, the back face of the base panel
15	having an adhesive applied thereon for releasably
16	affixing the base panel on the release surface of the
17	liner, the adhesive on the back face of the base panel
18	being removably adhered to the release surface of the
19	liner, the adhesive on the back face of the base panel
20	comprising a pressure sensitive adhesive, the base panel
21	being substantially opaque, the front face of the base
22	panel having first and second areas, indicia being
23	marked on the first area of the front face of the base
24	panel, indicia being marked on the second area of the
25	front face of the base panel;
26	a first leaflet being positioned adjacent to the front face of the
27	base panel, the first leaflet being positioned against the
28	front face of the base panel, the first leaflet comprising
29	a first folded panel;
30	the first folded panel having a first fold, the first fold

31	extending substantially parallel to the first axis of
32	the label structure, the first fold being positioned
33	toward the first side, the first fold dividing the
34	first folded panel into a pair of first leaves, each
35	of the first leaves having an inner page face and an
36	outer page face;
37	the inner page faces of the first leaves being oriented
38	inwardly toward each other and the outer page
39	faces of the first leaves being oriented outwardly
40	away from each other, the pair of first leaves
41	comprising a front first leaf and a back first leaf,
42	the outer page face of the back first leaf being
43	oriented toward the front face of the base panel,
44	the outer page face of the back first leaf being
45	positioned adjacent to the front face of the base
46	panel, the outer page face of the back first leaf
47	being positioned adjacent to the second area of the
48	front face of the base panel, each of the inner and
49	outer page faces of the front first leaf and the back
50	first leaf being adapted for permitting viewing of
51	indicia marked thereon;
52	a second leaflet being positioned forward of the first leaflet
53	such that the first leaflet is positioned substantially
54	between the second leaflet and the base panel, the
55	second leaflet being stacked on the first leaflet,
<b>56</b>	the second leaflet comprising a second folded panel, the
57	second folded panel having a second fold, the
58	second fold extending substantially parallel to the
59	first axis of the label structure, the second fold
60	being positioned toward the second side of the
61	label structure relative to a position of the first

fold, the second fold dividing the second folded 62 panel into a pair of second leaves, each of the 63 second leaves having an inner page face and an 64 outer page face; 65 the inner page faces of the second leaves being oriented 66 inwardly toward each other and the outer page 67 faces of the second leaves being oriented 68 outwardly away from each other, the pair of second 69 leaves comprising a front second leaf and a back 70 second leaf; 71 the outer page face of the back second leaf being 72 oriented toward the outer page face of the front 73 first leaf: 74 each of the inner and outer page faces of the front 75 second leaf and the back second leaf being adapted 76 for permitting viewing of indicia marked thereon; 77 wherein the first fold in the first folded panel defines a first 78 fold axis and the second fold in the second folded panel 79 defining a second fold axis, the first fold axis being 80 oriented substantially parallel to the second fold axis, 81 the first and second fold axes being oriented 82 substantially parallel to the first axis, the first fold axis 83 being transversely spaced from the second fold axis such 84 that the first fold axis of the first leaflet is located 85 relatively closer to the first side of the label structure 86 than the second fold axis of the second leaflet; 87 a laminating layer overlying the base panel, the first leaflet, and the 88 second leaflet, the laminating layer having front and back 89 faces, the back face of the laminating layer being adhered to a 90 portion of the base panel, the back face of the laminating layer 91 being adhered to the first area of the front face of the base 92

93

94

95

96

97

98

99

100

22 23 Appln. No. 09/931,336
Amendment dated December 13, 2004
Reply to Office Action mailed August 11, 2004

panel, the back face of the laminating layer being adhered to a portion of the first leaflet and a portion of the second leaflet, the laminating layer being adhered to a portion of the outer page face of the front first leaf of the first folded panel, the laminating layer being adhered to a portion of the outer page face of the front second leaf of the second folded panel, the back face of the laminating layer having an adhesive applied thereto, the laminating layer being substantially transparent.

27. (Currently Amended) A label structure having a first axis 1 for extending substantially parallel to the longitudinal extent of a 2 liner, the label structure having first and second sides extending 3 substantially parallel to the first axis, the label structure having a 4 front surface and a back surface, the label structure comprising: 5 a base panel for affixing to a surface, the base panel having front 6 and back faces, the back face of the base panel having an 7 8 adhesive applied thereon; a first leaflet being positioned adjacent to the front face of the base 9 panel, the first leaflet comprising a first folded panel with a 10 first fold extending substantially parallel to the first axis of 11 the label structure; 12 a second leaflet being positioned forward of the first leaflet such 13 that at least a portion substantially an entirety of the first 14 leaflet is positioned between the second leaflet and the base 15 panel when the first and second leaflets are in a closed 16 condition, the second leaflet comprising a second folded panel 17 having a second fold extending substantially parallel to the 18 first axis of the label structure; and 19 a laminating layer overlying the base panel, the first leaflet, and the 20 second leaflet, the laminating layer having a back face being 21

adhered to a portion of the base panel [[[;]]]

LEONARD & PROEHL

23	wherein the lift loid is positioned at a distance from the lift
24	of the label structure that is substantially equal to or-greater
25	than a distance between the second fold and the first side of
26	the label structure.
1	28. (Currently Amended) A label structure having a first axis
2	for extending substantially parallel to the longitudinal extent of a
3	liner, the label structure having first and second sides extending
4	substantially parallel to the first axis, the label structure having a
5	front surface and a back surface, the label structure comprising:
6	a base panel for affixing to a surface, the base panel having front
7	and back faces, the back face of the base panel having an
8	adhesive applied thereon;
9	a first leaflet being positioned adjacent to the front face of the base
10	panel, the first leaflet comprising a first folded panel with a
11	first fold extending substantially parallel to the first axis of
12	the label structure;
13	a second leaflet being positioned forward of the first leaflet such
14	that at-least a portion of the first leaflet is positioned between
15	the second leaflet and the base panel when the first and second
16	leaflets are in a closed condition, the second leaflet
17	comprising a second folded panel having a second fold
18	extending substantially parallel to the first axis of the label
19	structure; and
20	a laminating layer overlying the base panel, the first leaflet, and the
21	second leaflet, the laminating layer having a back face being
22	adhered to a portion of the base panel;
23	wherein the first fold of the first leaflet is positioned at a distance
24	from the first side of the label structure that is greater than a
25	distance between spaced from the second fold and the first
26	side of the label structure of the second leaflet.

→ PT0

1	29. (Currently Amended) A label structure having a first axis
2	for extending substantially parallel to the longitudinal extent of a
3	liner, the label structure having first and second sides extending
4	substantially parallel to the first axis, the label structure having a
5	front surface and a back surface, the label structure comprising:
6	a base panel for affixing to a surface, the base panel having front
7	and back faces, the back face of the base panel having an
8	adhesive applied thereon;
9	a first leaflet being positioned adjacent to the front face of the base
10	panel, the first leaflet comprising a first folded panel with a
11	first fold extending substantially parallel to the first axis of
12	the label structure;
13	a second leaflet being positioned forward of the first leaflet such
14	that at least a portion of the first leaflet is positioned between
15	the second leaflet and the base panel, the second leaflet
16	comprising a second folded panel having a second fold
17	extending substantially parallel to the first axis of the label
18	structure; and
19	a laminating layer overlying the base panel, the first leaflet, and the
20	second leaflet, the laminating layer having a back face being
21	adhered to a portion of the base panel;
22	wherein the second leaflet is stacked on the first leaflet when the
23	first leaflet and the second leaflet are in a closed condition.

**2**014

→ PTO

1	30. (Currently Amended) A label structure having a first axis
2	for extending substantially parallel to the longitudinal extent of a
3	liner, the label structure having first and second sides extending
4	substantially parallel to the first axis, the label structure having a
5	front surface and a back surface, the label structure comprising:
6	a base panel forming the back surface of the label structure for
7	affixing to a surface, the base panel having front and back
8	faces, the back face of the base panel having an adhesive
9	applied thereon;
10	a first leaflet being positioned adjacent to the front face of the base
11	panel, the first leaflet comprising a first folded panel with a
12	first fold extending substantially parallel to the first axis of
13	the label structure;
14	a second leaflet being positioned forward of the first leaflet such
15	that at least a portion of the first leaflet is positioned between
16	the second leaflet and the base panel, the second leaflet
17	comprising a second folded panel having a second fold
18	extending substantially parallel to the first axis of the label
19	structure; and
20	a laminating layer forming the front surface of the label structure
21	and overlying the base panel, the first leaflet, and the second
22	leaflet, the laminating layer having a back face being adhered
23	to a portion of the base panel;
24	wherein the laminating layer is forward of the base panel and the
25	base panel is rearward of the laminating layer, and wherein an
26	entirety of the second leaflet is positioned forward of the first
27	leaflet.

- 1 31. (Currently Amended) The label structure of claim 1
- 2 wherein the laminating layer is forward of the base panel forms the
- 3 front surface of the label structure and the base panel is rearward of
- 4 the laminating layer forms the back surface of the label structure,
- 5 and wherein the second leaflet does not extend rearwardly of the
- 6 first leaflet when in a closed condition.
- 1 32. (Currently Amended) The label structure of claim 1
- 2 wherein the laminating layer is forward of the base panel forms the
- 3 front surface of the label structure and the base panel is rearward of
- 4 the laminating layer forms the back surface of the label structure.
- 5 and wherein the first leaflet does not extend forwardly of the second
- 6 leaflet when in a closed condition.
- 1 33. (Previously Presented) The label structure of claim 1
- 2 wherein the first fold of the first leaflet is transversely spaced from
- 3 the second fold of the second leaflet.
  - 34. (Cancelled)